

Custom Keys

Last Modified on 12/23/2025 3:54 pm EST

Object	customKeys
Fields	The customKeys is an array of objects which can be used to carry any type of information.
Introduced in	0.5

Example use

You can use customKeys to transfer a value without all related metadata. You can put any desired value into the *replica.CustomKeys*.

Send the string value

Simple example is when you set any text string into a *replica.CustomKeys* and then put its value into the custom field on the remote side. This example shows how you can sync GitHub repository name using **customKeys**.

Source side

Put a repository name as a string into a replica.

Outgoing sync(data filter)

```
replica.customKeys."Repository name" = "insert the repository name here"
```

Destination side

Put the received repository name into a custom field "Remote project".

Incoming sync sync(create/change processor)

```
issue.customFields."Remote GitHub repository".value = replica.customKeys."GitHub repository name"
```

Remote GitHub repository is a text custom field name on Jira.

Send the text custom field value

Let's send the label **mood** without underlying ID or metadata. When extracting the custom field's value from replica please refer to [CustomFields](#) for more details.

Source side

Outgoing sync(data filter)

```
replica.customKeys."mood" = issue.customFields."mood".value
```

Destination side

Incoming sync sync(create/change processor)

Put the value into description

[About Us](#)  [Product](#)
[Release History](#)  [replica.customKeys."mood"](#)

[Glossary](#) 

For more information, please read [HP QC/ALM defect custom fields synchronization](#).

[API Reference](#) 

[Security](#) 

[Pricing and Licensing](#) 

[Resources](#)

[Subscribe for a weekly Exalate hack](#) 

[Academy](#) 

[Blog](#) 

[YouTube Channel](#) 

[Ebooks](#) 

Still need help?

[Join our Community](#) 

[Visit our Service Desk](#) 

[Find a Partner](#) 