

Choose the Connection Type and Configuration Mode

Last Modified on 09/20/2024 5:10 am EDT

After installation, you need to create a Connection between the 2 instances.

A connection defines the scope of your synchronization. It describes **which** entities must be synced and **how** they can be synced.

For setting up a Connection you must choose

- the Connection Type
- the Configuration Mode

Exalate supports 3 Connection Types:

Public

Allows synchronization where both task management systems are available via a public network (i.e the Internet).

Private

Allows synchronization where one Exalate application cannot be accessed through the public network or is behind a firewall.

Local

Allows synchronization between projects within a single task management system or instance.

Important: Local connection is not supported on Azure DevOps and GitHub.

Note: [Start the local connection integration tutorial here.](#)

To continue, select if one of your instances is behind a firewall:

- Yes, Exalate for Source is behind a firewall
- Yes, Exalate for Destination is behind a firewall

Product

[About Us](#) ▾
○ No, none of my instances are behind a firewall

[Release History](#) ▾

[Glossary](#) ▾

[API Reference](#) ▾

[Security](#) ▾

[Pricing and Licensing](#) ▾

Resources

[Subscribe for a weekly Exalate hack](#) ▾

[Academy](#) ▾

[Blog](#) ▾

[YouTube Channel](#) ▾

[Ebooks](#) ▾

Still need help?

[Join our Community](#) ▾

[Visit our Service Desk](#) ▾

[Find a Partner](#) ▾