

# Choose the Connection Type and Configuration Mode

Last Modified on 01/17/2024 5:28 am EST

After installation, you need to create a Connection between the 2 instances.

A connection defines the scope of your synchronization. It describes **which** entities must be synced and **how** they can be synced.

For setting up a Connection you must choose

- the Connection Type
- the Configuration Mode

## Exalate supports 3 Connection Types:

### Public

Allows synchronization where both task management systems are available via a public network (i.e the Internet).

### Private

Allows synchronization where one Exalate application cannot be accessed through the public network or is behind a firewall.



### Local


Allows synchronization between projects within a single task management system or instance.

**Note:** Local connection is not supported on Azure DevOps and GitHub.

**Note:** [Start the local connection integration tutorial here.](#)

## To continue, select if one of your instances is behind a firewall:

- Yes, Exalate for Source is behind a firewall
  - Yes, Exalate for Destination is behind a firewall
  - No, none of my instances are behind a firewall
- [Product](#)  
[About Us](#)   
[Release History](#) 

[Glossary](#) 

[API Reference](#) 

[Security](#) 

[Pricing and Licensing](#) 

**Resources**

[Academy](#) 

[Blog](#) 

[YouTube Channel](#) 

[Ebooks](#) 

**Still need help?**

[Join our Community](#) 

[Visit our Service Desk](#) 

[Find a Partner](#) 