

# How to Sync Time Tracking Fields in Jira On-premise

Last Modified on 04/09/2024 8:32 am EDT

To synchronize time tracking fields such as **Original estimate**, **Remaining estimate** or **Time spent** you need to add following scripts into the corresponding synchronization processors. Setting the time spent in Jira Cloud directly is not supported, it needs to be set through [worklogs](#).

## Source Instance

### Outgoing sync

Send *Time tracking* information to the Destination Instance.

```
// Add the time tracking information to the datafilter
replica.timeSpent      = issue.timeSpent
replica.originalEstimate = issue.originalEstimate
replica.remainingEstimate = issue.remainingEstimate
```

## Destination Instance

### Incoming sync

Apply received *Time tracking* information from the Source Instance.

```
// this will overwrite the current time tracking information

issue.timeSpent = replica.timeSpent
issue.originalEstimate = replica.originalEstimate
issue.remainingEstimate = replica.remainingEstimate
```

#### Product

#### ON THIS PAGE

- [About Us](#)
- [Release History](#)
- [Source Instance](#)
- [Glossary](#)
- [Destination Instance](#)
- [Reference](#)
- [Security](#)
- [Pricing and Licensing](#)
- Resources**
- [Academy](#)
- [Blog](#)
- [YouTube Channel](#)
- [Ebooks](#)
- Still need help?**
- [Join our Community](#)
- [Visit our Service Desk](#)
- [Find a Partner](#)