

How to Sync Organizations Fields in Jira Service Desk

Last Modified on 04/09/2024 10:12 am EDT

This article shows how to synchronize an Organizations field in Jira Cloud Service Desk.

The **Organizations** field is a Jira Service Desk field, it's a single select drop-down list. For more information, please read the [Jira Service Desk documentation](#).

Source Side

Outgoing sync

```
replica.customFields."Organizations" = issue.customFields."Organizations"
```

Destination Side

Incoming sync

To set the received Organizations field value on the receiving side use this code:

```
issue.customFields.Organizations?.value = replica.customFields.Organizations.value?.collect { org -> org?.organizationName }
```

To set the value in your local Organizations field manually use this code:

```
issue.customFields.Organizations.value = "Organization Name"
```

[Product](#)

[About Us](#)

[Release History](#)

[Glossary](#)

To set multiple values in your local Organizations field manually use this code:

```
issue.customFields.Organizations.value = ["Organization Name1", "Organization Name2"]
```

[Security](#)

[Pricing and Licensing](#)

Resources

[Subscribe for a weekly Exalate hack](#)

[Academy](#)

[Blog](#)

[YouTube Channel](#)

[Ebooks](#)

Still need help?

[Join our Community](#)

[Visit our Service Desk](#)

[Find a Partner](#)