How to Add a Remote Issue Key Field in HP ALM/QC

Last Modified on 04/08/2024 5:11 am EDT

Warning: We are moving Exalate for HP QC/ALM into basic maintenance mode. This transition period will last until November 2024, after which support will be halted completely. For more information, please see https://exalate.com/blog/end-of-support-hp/.

This article shows how to add a remote issue key field in HP ALM/QC.

Exalate allows displaying the remote issue key in a separate field. You can configure this field in the Exalate app for HP ALM/QC admin console.

Sending Side

Outgoing sync

You need to be sure that the other side includes the issue key in a replica. To send the issue key add this code

replica.key = issue.key

Receiving Side (HP ALM/QC)

1. Navigate to **Connections** -> edit connection

Connection	Issues under sync	Last sync	Status	
न्ग svitlana1_to_testsvitlana	1	TES-2 3 days ago	 Active 	Edit connection
		< 1 >		
2. Select Sync Rules tab				
<pre>svitlana_to_hpqcnode</pre>				Publish
Triggers Rules Stati	stics Info			
3. Add the field nam	ie			
Issue Link field name				
user-03		HP ALM field to	populate wit	th remote Jira issue key

Have more questions? Ask the community

About Us 🛃

ONRETEHSESHIRA GE

Glossary C Sending Side API Reference C Beaging Side (HP ALM/QC) Pricing and Licensing C

Resources

Subscribe for a weekly Exalate hack (*) Academy (*) Blog (*) YouTube Channel (*) Ebooks (*) **Still need help?** Join our Community (*) Visit our Service Desk (*) Find a Partner (*)