How to Sync Defects in Exalate for ServiceNow

Last Modified on 04/09/2024 5:23 am EDT

In ServiceNow, defects are related to unexpected product behavior. Defects are available as part of the Agile Development application. You can sync defects with Exalate for ServiceNow.

ServiceNow

Outgoing Sync

Example of a script to send defect data:

```
if(entityType == "defect") {
  replica.short_description = defect.short_description
  replica.description = defect.description
  replica.correlation_id = defect.correlation_id
  replica.correlation_display = defect.correlation_display
  replica.assigned_to = defect.assigned_to
}
```

This script sends data for the following fields of the defect table:

- short_description
- description
- correlation_id
- correlation_display
- assigned_to

ServiceNow

Incoming Sync

Example of a script to receive defect data:

```
if(entityType == "defect") {
    defect.short_description = replica.summary
    defect.description = replica.description
    defect.correlation_id = replica.key
    defect.correlation_display = "IDalko-Jira"
    defect.assigned_to = nodeHelper.getUserByEmail(replica.assignee?.email)?.key
}
```

With this script, we can sync data with Jira issues: summaries, descriptions, assignees.

Have more questions? Ask the community

ON-TOHLE PAGE About Us Release History Glossary

Selt-Recenterve 🖸

 Securics

 Pricing and Licensing کی

 Resources

 Subscribe for a weekly Exalate hack کی

 Academy کی

 Blog کی

 YouTube Channel کی

 Ebooks کی

 Still need help?

 Join our Community کی

 Visit our Service Desk کی

 Find a Partner کی