

Bulk Unexalate

Last Modified on 03/18/2024 11:59 am EDT

Step 1: Create a Trigger

Step 2: Unexalate the Entities

To stop the synchronization you need to **Bulk Unexalate** the trigger. It helps to stop the synchronization of all entities that fit the trigger search queries.

The screenshot displays the 'Triggers' management interface. At the top right, there is a green 'Create Trigger' button. Below it is a table with columns: 'Entity type', 'When', 'If', 'Then sync via Connection', 'Status', and 'Action'. A single trigger is listed with the following details:

Entity type	When	If	Then sync via Connection	Status	Action
Issue	Events: create/update	project = PA	newmariana-docs_to_Svitlana Blue	On	...

Below the table, there is a sidebar menu for 'Product' with various links: About Us, Release History, Glossary, API Reference, Security, Pricing and Licensing, Resources, Academy, Blog, YouTube Channel, and Ebooks. At the bottom of the sidebar, there is a section 'Still need help?' with links to 'Join our Community', 'Visit our Service Desk', and 'Find a Partner'. The main content area shows the trigger configuration details, including a 'Documentation' link and a footer note: 'Powered by Exalate v. 5.4.10 (Core v. 5.4.10)'. A context menu is open over the 'Action' column, with 'Bulk Unexalate' highlighted in red.