Exalate Now Post Function

Last Modified on 03/18/2024 11:51 am EDT

You can start the synchronization automatically with the help of the *Exalate Now* post function in Jira.

Follow the steps below to configure the Exalate Now post-function:

1. Navigate to edit the workflow in the Jira admin

You can edit a Jira workflow under $\diamondsuit \rightarrow Issues \rightarrow Workflows$

For more information, please read the advanced workflow configuration in Jira.

2. Click on the transition and select Post Functions



3. Add a post-function to your workflow

sition: Cancel		
PLANNING AWAITING IMPLEMEN PENDING DECLINED	Cancel	CANCELED
an: JIRA Service Desk Resolve Issue Screen - 5 gers 0 Conditions 0 Validators 0 Post	Functions 5	
		Add post functi
gers 0 Conditions 0 Validators 0 Post	occurs	Add.post.functi
gers 0 Conditions 0 Validators 0 Post	occurs tion workflow step.	Add post functi
gers 0 Conditions 0 Validators 0 Post he following will be processed after the transition 1. Set issue status to the linked status of the destina	occurs tion workflow step. g a transition.	Add post functi
gers 0 Conditions 0 Validators 0 Post he following will be processed after the transition 1. Set issue status to the linked status of the destina 2. Add a comment to an issue if one is entered during	occurs tion workflow step. g a transition. ssue in the database.	Add.post.functi

4. Select Exalate Now post function

Add F	ost Function To Transition	
	Name	Description
0	Assign to Current User	Assigns the issue to the current user if the current user has the 'Assignable User' permission.
0	Assign to Lead Developer	Assigns the issue to the project/component lead developer
0	Assign to Reporter	Assigns the issue to the reporter
0	Create Perforce Job Function	Creates a Perforce Job (if required) after completing the workflow transition.
۲	Exalate Now	The post-function to initiate the synchronization of the issue, and to add a link to the remote issue.
	Notify HipChat	Send a notification to one or more HipChat rooms.
0	Trigger a Webhook	If this post-function is executed, JIRA will post the issue content in JSON format to the URL specified.
0	Unexalate Now	The post-function to stop the synchronization of the issue, and to remove the link to the remote issue.
0	Update Issue Field	Updates a simple issue field to a given value.
Add	Cancel	

5. Select a connection

Add requir	red parameters to the	Function.	
	Connection name:	Select a connection ᅌ	

6. Ensure that the Exalate Now post function is in the correct order

Note: You need to make sure that the post function is executed once the issue has been updated otherwise, the issue is transferred to the wrong status.

Conditions Validators Post Functions 6	
he following will be processed after the transition occurs	Add post function
1. Set issue status to the linked status of the destination workflow step.	
2. Add a comment to an issue if one is entered during a transition.	
3. Update change history for an issue and store the issue in the database.	
Prochine this issue towards 'AllContent'	+ + 🖋 🕲
5 Re-index an issue to keep indexes in sync with the database.	
6. Fire a Generic Event event that can be processed by the listeners.	
Glossary 🔁	
API Reference 🖸	
Security 🔁	
Pricing and Licensing 🖸	
Resources	
Academy 🔀	
Blog 🖸	
YouTube Channel 🖸	
Ebooks 🖸	
Still need help?	
Join our Community 🖸	
Visit our Service Desk 🖸	
Find a Partner 🔀	