

# Working with External Scripts

Last Modified on 08/02/2024 5:49 am EDT

This page describes how you can store advanced groovy scripts outside the Sync Rules processors.

This feature requires a good understanding of Groovy, the entities of the underlying issue tracker, and Exalate itself.

We offer training and professional services to deliver the solution you're looking for. Please contact [sales@exalate.com](mailto:sales@exalate.com) for more information.

**Note:** Starting with Exalate v. 8.5.1 we are running Groovy v. 4.

## Introduction

Advanced synchronization scripts usually contain a huge number of code lines. Storing these scripts in the Sync Rules makes it hard to maintain.

With a scripts-specific folder outside of the Sync Rules, you can have your own scripts library. You can create your own advanced .groovy scripts and add them to the library. Then call the script from the library in the Sync Rules configuration. Exalate will start to pick external files.

## External scripts library location

Jira Server: ***\$JIRA\_HOME/scripts***

HP ALM/QC: ***opt/hpqcnode/data/scripts***

Externalized scripts provide you an ability to configure a complex synchronization case with a reduced amount of code inside the Sync Rules.

It allows making changes to your Exalate configuration easier and version scripts whenever you need it. You can share/copy the Sync Rules between different Connections.

To get autocompletion for all the variables available in the script and the Jira API (such as `com.atlassian.jira.component.ComponentAccessor`), configure the IDE to use the shared Maven configuration repository. This helps to improve your scripting experience with Exalate. You can also version your scripts with any major change using version control systems.

Externalized scripts functionality allows to include following files:

- sources
  - groovy
  - compiled .class
  - packaged jar

- resources - plain text and binary resources

The *scripts* directory must have permission to write and read directories/files.

## Available External Scripts

Exalate documentation includes a lot of example scripts containing approaches on how to implement various use cases. Please note that many of these scripts are used only for example purposes:

- [Introduction](#)
- [Alerts](#)
- [Release History](#)
- [Glossary](#)
- [API Reference](#)
- [Security](#)

Check out the [External Scripts Library](#) to learn more script examples.

[Pricing and Licensing](#)

### Resources

[Subscribe for a weekly Exalate hack](#)

[Academy](#)

[Blog](#)

[YouTube Channel](#)

[Ebooks](#)

### Still need help?

[Join our Community](#)

[Visit our Service Desk](#)

[Find a Partner](#)