# External Scripts Library

## Introduction

This documentation site provides a lot of example scripts containing approaches on how to implement various use cases. Many of these scripts are meant to **illustrate** how challenges can be resolved and are not meant as the solution for the issue you try to resolve.

## Examples

| Script / Usage article link | Purpose | **Supported Platforms** |
|---|---|---|
| Versions.groovy | Used to synchronize Versions | JIRA SERVER<br><br>JIRA DATA CENTER |
| Components.groovy | Used to synchronize Components | JIRA SERVER<br><br>JIRA DATA CENTER |

| Script / Usage article link | Purpose | Supported Platforms |
|---|---|---|
| ExalateEventListener.groovy DEPRECATED<br><br>This approach has been deprecated. Use these methods instead:<br><br>Updating a local custom field with a remote issue key in Exalate for Jira on-premise<br><br>Updating a local custom field with a remote issue key in Exalate for Jira Cloud<br><br>Syncing a comment with a remote issue key in Exalate for Jira on-premise<br><br>Syncing a comment with a remote issue key in Exalate for Jira Cloud | The script allows subscribing to Exalate Jira issue events:<br><br>• exalated<br>• unexalated<br>• updated<br>• deleted | JIRA SERVER<br><br>JIRA DATA CENTER |
| Status.groovy (Server)<br><br>Status.groovy (Cloud) | Used to synchronize Statuses | JIRA SERVER<br><br>JIRA DATA CENTER<br><br>JIRA CLOUD |
| IssueLinks.groovy | Used to synchronize issue links | JIRA SERVER<br><br>JIRA DATA CENTER |
| Move.groovy | Used to move issues automatically | JIRA SERVER<br><br>JIRA DATA CENTER |

| Script / Usage article link | Purpose | Supported Platforms |
|---|---|---|
| CustomFieldSync.groovy | Used to synchronize custom fields | JIRA SERVER<br><br>JIRA DATA CENTER |
| SubTask.groovy | Used to synchronize Sub Tasks | JIRA SERVER<br><br>JIRA DATA CENTER |
| Epic.groovy (Server)<br><br>Epic.groovy (Cloud) | Used to synchronize Epics on Jira Server/ Jira Data Center | JIRA SERVER<br><br>JIRA DATA CENTER<br><br>JIRA CLOUD |
| TempoWorkLogSync | Used to synchronize Tempo Worklogs. | JIRA SERVER<br><br>JIRA DATA CENTER<br><br>JIRA CLOUD |
| SimpleSprintSync.groovy DEPRECATED<br><br>Use how to synchronize sprints on Jira to configure sprints synchronization. | Used to synchronize Sprint field | JIRA SERVER<br><br>JIRA DATA CENTER |

**Product**

About Us ↗

Release History ↗

Glossary ↗

API Reference ↗

Security ↗

Pricing and Licensing ↗

**Resources**

Academy ↗

Blog ↗

YouTube Channel ↗

Ebooks ↗

**Still need help?**

Join our Community ↗
Visit our Service Desk ↗
Find a Partner ↗