# Set Up a Connection in Visual Mode for Jira Cloud

Last Modified on 03/11/2024 8:42 am EDT

**Important**: You cannot toggle between the different modes. To do so, you need to create a new Connection in Visual mode, Script mode, or Basic mode.

**Note**: Before you set up a Connection in Visual mode ensure that:

- your instance is public.
- you have admin access to the destination instance.
- you are either in the Evaluation (trial) period or have a Paid license.

## Initiate a Connection in Visual Mode from Jira Cloud

**Note:** It doesn't matter which side you start initiating the Connection from. The Exalate UI remains the same.

1. Navigate to the **Connections** tab in the Exalate console.

Click **Apps** → **Exalate** & click **Connections** under the **Exalate** menu.

2. Click Initiate Connection.

#### 3. Enter the **Destination Instance URL**.

The **Destination Instance URL** is the link to the instance you want to set up a connection with. You can directly enter the link of that instance or the **Exalate URL** from the **General Settings** tab in the Exalate admin panel.

**Note:** If you don't have the link to the destination instance, click **I don't have a URL**. In this case, you only can to set up a Connection in Script mode.

Exalate suggests available **Configuration Modes** based on the destination instance.

4. Select the Configuration Mode. In this case, we select Visual Mode.

**Note**: We are exploring ways to enhance or replace Visual Mode with an Al-Configuration mode for a better user experience. Check the **Beta** label added to the Visual mode screens. Your feedback is crucial, so let us know what you think.

#### 5. Click Next.

### 6. Enter the **Connection Information**.

Field	Description
Local instance short name	A short name for your instance
Destination instance short name	A short name for the destination instance
Connection name	Name of the connection
Description	Description of the connection

#### 7. Click Next.

8. Click **Verify admin access** to confirm you have admin rights to the destination instance. Then click **Initiate**.

9. Click **Accept** to finish the verification process.

You see a pop-up window within the remote instance to finish the verification. You are also notified about the permissions that the destination instance user has.

**Note**: The destination instance user has different permissions based on the platforms to be synced.

10. Click Next.

11. A confirmation screen displays when the connection has been successfully set up:

What's Next? Product Appnfly De the Connection in Visual Mode for Jira Cloud. Release History C Glossary C ONATHERERE CE Security C 

 Pricing and Licensing المحافي

 Resources

 Academy ألم المحافي

 Blog ألم المحافي

 YouTube Channel ألم المحافي

 Ebooks ألم المحافي

 Still need help?

 Join our Community ألم المحافي

 Visit our Service Desk ألم المحافي

 Find a Partner ألم المحافي