

Set up a Connection in Basic Mode for AzureDevOps Server & Service

Last Modified on 10/20/2025 12:31 pm EDT

Note: Before you set up a Connection in Basic mode ensure that you don't use an older version of Exalate.

Connections in Basic mode have a set of **Sync Rules**, generated by Exalate. With a Basic connection, you can sync a basic set of work item data: summary, description, comments, attachments, and work item types.

All comments are synced as public comments.

Important: You cannot modify **Sync Rules** in Basic Mode.

If you want to edit/delete Sync Rules, you can upgrade the connection to Visual Mode or Script Mode.

Set Up a Connection in Basic Mode from Azure DevOps

Note: It doesn't matter which side you start initiating the Connection from. The Exalate UI remains the same.


1. Navigate to the **Connections** tab in the Exalate console.

Note: You can also access Exalate with this link:


```
https://dev.azure.com/{your_organization_name}/_settings/idalko-tools.exalate.adnode
```

To navigate to the **Connections** tab:


Click **Organization settings**.




Click **Exalate** in the **Extensions** section.



Click **Connections**.




2. Click **Initiate connection**.



3. Enter the **Destination Instance URL**.

The **Destination Instance URL** is the link to the instance you want to set up a connection with. You can directly enter the link of that instance or the **Exalate URL** from the **General Settings** tab in the Exalate admin panel.



Initiate connection

Destination instance URL ⓘ

https://example.exalate.net

I don't have a URL ☒


Next

Exalate suggests available Configuration Modes based on the destination instance.

4. Select **Basic**.

5. Click **Next**.

6. Select a project where you would like to sync entities received from the destination side.



Initiate connection

Select a project for the incoming sync

Exalate generates default sync rules to synchronize basic issue fields. By default the following issue data will be synchronized: summary, description, comments, attachments and issue types.

Please select the project where you want to create issues, received from the other side.*

Select Project

< Previous

Next

7. Click **Initiate**.

8. Confirm if you have admin access to the destination instance.

Further steps are different if you have or don't have admin access to the destination instance.

- Select **Yes, I have admin access** if you have admin access to the destination instance. You are redirected to the destination instance to establish a connection.
- Select **No, I don't have admin access** if you don't have admin access to the destination instance. You generate an invitation for the destination instance admin so they could establish a connection on their end.

Initiate connection

Do you have admin access to the destination instance?

✓

Yes, I have admin access

• You will be redirected to the destination instance to establish the connection

⊘

No, I don't have admin access

• You will generate an invitation and send it to the destination instance admin to establish the connection

< Previous

Initiate

Steps for: Yes, I have Admin Access

Click **Yes, I have admin access & Initiate** the connection.

Note: You will be required to verify access on the destination instance. After that, complete the following steps on the destination instance.

9. Select the project or repository where you want to sync entities.

Note: Selecting the project or repository is not applicable to all platforms. In this case, the Connection are established after the previous step.

Accept invitation

Select a project for the incoming sync

After accepting an invitation for a Basic mode connection, Exalate will be able to sync basic issue fields. The sync rules cannot be updated. Exalate will sync the following issue data: summary, description, comments, and attachments.

Issue types are mirrored. This means that tasks will be synced as tasks, bugs as bugs, and improvements as improvements. If an issue type is not included in the basic set, it will be synced as a task.

Please select the project where you want to create entities, received from the other side.*

Select Project

⌵

< Previous

Confirm

10. Click **Confirm**.

The Connection has been set up.

Exalate x

Connection established successfully ✓
Sync your first issue to see how it works.

Please enter an issue key from the project **Test (TEST)** to proceed

TEST-1

Exalate

No, I don't have Admin Access

Click **No, I have admin access & Initiate** the connection.

9. Click **Copy invitation code**.

You can send the invitation code to the destination instance admin.

Initiate connection x

On the "company B" side, you (or their application administrator) need to **Accept the Invitation**.

Use the following invitation code:

Copy invitation code

Done

10. Click **Done**.

Complete the following steps on the destination instance.

11. Click on **Accept Invitation** under the **Connections** tab in the Exalate Admin Console in the destination instance and Paste the invitation code.

12. Click **Next**.
13. Select the project where you want to sync issues.

14. Click **Confirm**.

The Connection has been set up.

Exalate

✕

Connection established successfully ✓

Sync your first issue to see how it works.

Please enter an issue key from the project **Test (TEST)** to proceed

TEST-1

Exalate

Start Synchronizing

You can sync your first entity in Exalate to see how it works: enter the entity URN on the previous screen and click **Exalate**.

Exalate

✕

Connection established successfully ✓


Sync your first issue to see how it works.

Please enter an issue key from the project **Company (COM)** to proceed

TEST-1

Exalate

When syncing your first entity, you see the status of your sync. The links to both entities are displayed at the bottom as shown below. You can open them up to see more details.

Preparing *i* Sending *i* Waiting for remote *i* Finalizing *i* Synchronized *i*

What's Next?

Next, you can choose to

- sit back and relax while the sync works!
- [Manually](#) synchronize entities.
- [Connect an](#) entity.
- [Sync entities in bulk](#).
- Create a [trigger](#).

Product

ON THIS PAGE

- About Us *?*
- [Set Up a Connection in Basic Mode from Azure DevOps](#)
- [Glossary](#) *?*
- [Start Synchronizing](#)
- [API Reference](#) *?*
- [What's Next?](#)
- [Security](#) *?*

[Pricing and Licensing](#) *?*

Resources

- [Subscribe for a weekly Exalate hack](#) *?*
- [Academy](#) *?*
- [Blog](#) *?*
- [YouTube Channel](#) *?*
- [Ebooks](#) *?*

Still need help?

- [Join our Community](#) *?*
- [Visit our Service Desk](#) *?*
- [Find a Partner](#) *?*