

Initiate a Connection for HP ALM/QC

Last Modified on 12/02/2022 1:42 am EST

Before you set up a Connection in Script mode ensure that:

- your instance is public.
- you are either in the Evaluation (trial) period or have a Paid license.

Initiate a Connection in Script Mode from HP ALM/ QC

Attention:

It doesn't matter which side you start initiating the Connection from. The Exalate UI will remain the same.

If you are initiating the connection you become the source and the other side becomes the destination.

1. Navigate to the **Connections** tab in the Exalate console.

Connection	Entities under sync	Last sync	Status
jira_to_hpqcdemo	2	Entity 1 1 week ago	Active

2. Click **Initiate Connection**.

Connection	Work items under sync	Last sync	Status
------------	-----------------------	-----------	--------

3. **Choose the type of the destination instance .**

Based on the type Exalate knows how to communicate with the Destination Instance.

You can synchronize with the following types of instances:

- **Public** - the destination instance which is in a public network and you can access it from your side.

- **Private** - the destination instance in a private network or behind the firewall and you cannot access it from your side.

The configuration depends on the connection type.

Choose Public and click **Next**.

✕
Initiate connection

Choose the type of the destination instance



Public

An instance you can access and it's available in a public network.



Private

An instance you cannot access because it's behind a firewall or in a private network.

Next

4. Specify Connection information.

Destination instance URL - available only for public connections

Instance short names are used to name both sides of the synchronization. The connection name is based on the instances' short names.

The connection name is limited to 255 characters.

The Connection information describes the following:

Field	Description
Local instance short name	A short name for your instance
Destination instance short name	A short name for the destination instance
Connection name	Name of the connection
Description	Description of the connection

5. Click **Next**.

6. Choose the sync rules template.

The connection between instances requires sync behavior configuration on both sides. Exalate generates default sync rules to synchronize basic issue fields. You can adapt the Sync Rules later.

Single Project:

Or

Advanced:

Initiate connection ✕

i Exalate generates default sync rules to synchronize basic issue fields. You can adapt the sync rules only in edit connection mode.

Domain A*
Select Domain A | ▾

Project A*
Select project A | ▾

[< Previous](#) **Initiate**

7. Click **Initiate**.

8. Click **Copy invitation code**.

You can send the invitation code to the destination instance admin

Initiate connection ✕

Ensure that Exalate is **installed** on the destination side "jira"

On the "jira" side, you (or their application administrator) need to **Accept the Invitation**.

Use the following invitation code:

Copy invitation code

Done

Product
When the other side accepts your invitation your connection will be activated. Refresh the **Connections** page to see the Connection status change.

[About Us](#)
[Release History](#)

[Glossary](#)

[API Reference](#)

[Security](#)

[Pricing and Licensing](#)

Resources

[Academy](#)

[Blog](#)

[YouTube Channel](#)

[Ebooks](#)

Still need help?

Get more help:

[Join our Community](#) 

[Visit our Service Desk](#) 

[Find a Partner](#) 