

Bulk Unexalate

Last Modified on 03/18/2024 11:59 am EDT

Step 1: [Create a Trigger](#)

Step 2: Unexalate the Entities

To stop the synchronization you need to **Bulk Unexalate** the trigger. It helps to stop the synchronization of all entities that fit the trigger search queries.

The screenshot displays the 'Triggers' management interface. At the top right, there is a green 'Create Trigger' button. Below it is a table with columns: Entity type, When, If, Then sync via Connection, Status, and Action. A single trigger is listed with the following details:

Entity type	When	If	Then sync via Connection	Status	Action
Issue	Events: creates/update	project = PA	newmariana-docs_to_Svitlana Blue	On	...

Below the table, there is a navigation menu with the following items:

- Product
 - About Us
 - Release History
 - Glossary
 - API Reference
- Security
- Pricing and Licensing
- Resources
 - Academy
 - Blog
 - YouTube Channel
 - Ebooks
- Still need help?
 - Join our Community
 - Visit our Service Desk
 - Find a Partner

At the bottom of the table, there are links for 'Documentation', 'EULA', 'Support', and 'Report a bug'. A footer note states 'Powered by Exalate v. 5.4.10 (Core v. 5.4.10)'. A context menu is open over the 'Action' column, showing options: 'Edit', 'Bulk Exalate', 'Bulk Unexalate' (highlighted with a red box), and 'Delete'.