

# How to sync issue links to a custom field with Jira Issue Link API

Last Modified on 12/30/2025 10:59 am EST

**Warning:** Despite our best efforts, code can change without notice due to a variety of factors. If you encounter an issue in any of the code shown here and find that a specific block of code is not correct, or is causing errors, please check with the [Community](#) to find an updated version.

This article describes how to sync issue links details to a custom field using JIRA Issue Link API.

## Source side

Send over the issue link details

### Outgoing sync

```
1. replica.issuelink = issue.issuelinks
```

## Destination Instance

Add the script below in the **Incoming sync** of the **Destination instance** to receive *issue links* information from the Source Instance.

```
1 // add the links information to the custom field
2 issue.customFields."Custom field name".value = replica.issueLinks.toString()
```

[Product](#)

[About Us](#)

**ON THIS PAGE**

[Release History](#)

[Glossary](#)

[Source side](#)

[API Reference](#)

[Destination Instance](#)

[Security](#)

[Pricing and Licensing](#)

**Resources**

[Subscribe for a weekly Exalate hack](#)

[Academy](#)

[Blog](#)

[YouTube Channel](#)

[Ebooks](#)

**Still need help?**

[Join our Community](#)

[Visit our Service Desk](#)

[Find a Partner](#)