

TestRun Configuration

Last Modified on 04/19/2025 5:54 am EDT

TestRun allows you to test your scripts without creating actual entities on the destination side. This feature lets you preview and compare the replica before making changes in production, ensuring your configuration works as expected.

How to Use TestRun


1. Create a **New Version** or click **Open latest Draft**.
2. Click **Edit** to start modifying your configuration.
3. Make any necessary changes to your sync rules.
4. Click **Start TestRun** to begin the simulation.

The screenshot shows the SyncRoom Scripts editor interface. At the top, there's a header with the SyncRoom logo and a version indicator 'Version 2'. Below the header, there are two main panels: 'Outgoing script' and 'Incoming script'. The 'Outgoing script' panel contains a script for mapping workitem fields to replica fields. The 'Incoming script' panel contains a script for mapping issue fields to replica fields. Both scripts use a series of assignments and conditional logic. At the top right of the editor, there are two buttons: 'Start Test Run' (highlighted with a red box) and 'Save Script'.


5. Click **Select Issues**

The screenshot shows the SyncRoom TestRun configuration page. At the top, there's a header with the SyncRoom logo and a version indicator 'Version 2'. Below the header, there's a 'Back to editing' button. The main content area is titled 'Start your Test Run' and contains a paragraph explaining the test run process. Below the paragraph, there are three numbered steps: 1. Select your test issues. 2. Start testing your configuration. 3. Save and/or publish after reviewing the test results. To the right of the steps, there's a circular icon with a hand pointing to a document. Below the icon, there's a section titled 'Test configuration' with a sub-header 'Start adding test cases to view the configuration in action.' and a 'Select Issues' button.

6. Search for entities by an entity key and choose one or more entities to apply the test configuration to.




7. Click **Start TestRun** again to see the **outgoing and incoming replicas** for each selected issue.




Refine Your Configuration

- If adjustments are needed, click **Back to Editing**, modify the scripts, and then select **Re-run TestRun** to test the new version on the same set of issues.



- To change the test issues, click the **Edit** icon, add or remove issues, and restart the TestRun.



Product

Finalize and Publish

[Release History](#)

- Once satisfied with the results, click **Save Scripts** to store the changes.
- Click **Publish** to apply the updated configuration to your live synchronization.

[Security](#)

[Pricing and Licensing](#)

Resources

[Subscribe for a weekly Exalate hack](#)

[Academy](#)

[Blog](#)

[YouTube Channel](#)

[Ebooks](#)

Still need help?

[Join our Community](#)

[Visit our Service Desk](#)

[Find a Partner](#)

