

Manual Synchronization for AzureDevOps Server

Last Modified on 01/15/2026 8:17 pm EST


Manual synchronization in Azure DevOps Server can be performed directly from the **Exalate Console**.

Exalate provides two methods to manually synchronize work items in Azure DevOps Server:


- 1. Entity Sync Panel** – Synchronize work items from the **Entity Sync Panel** in Azure DevOps Server. (Refer to the [dedicated section](#) for detailed instructions.)
- 2. Connections Screen** – Initiate synchronization from the **Connections** screen in the Exalate Console.

Synchronizing a Work Item from the Connections Screen

- 1. Open the **Connections** screen in the **Exalate Console**.




- 2. Click the **Exalate** button on the desired connection. A popup window appears.
- 3. Select the target **project**, then enter the **work item key** for the item you want to synchronize.



3. Click **Exalate** to initiate synchronization.

The work item synchronization process starts immediately.



You can monitor the synchronization progress in the **Exalate panel**, and the same status is reflected in the **Entity Sync Status** tab on the **Exalate Admin Panel**.

[Product](#)

[About Us](#)

[Release History](#)

[Glossary](#)

[API Reference](#)

[Security](#)

[Pricing and Licensing](#)

Resources

[Subscribe for a weekly Exalate hack](#) 

[Academy](#) 

[Blog](#) 

[YouTube Channel](#) 

[Ebooks](#) 

Still need help?

[Join our Community](#) 

[Visit our Service Desk](#) 

[Find a Partner](#) 