

How to Sync between Select List (single choice) and user picker custom field

Last Modified on 01/28/2026 7:10 am EST

This article shows how to synchronize a **select list** with a **user picker field**.

Exalate allows syncing any kind of custom field type combination. For example, you have a custom field called **userlist** (select list Single Choice) to the custom field **Escalated to** (user picker field).

Sending side

Outgoing sync

```
1 #
2 # Include the customfield 'usersList' in the message sent to the receiving instance
3 #
4 replica.customFields."usersList" = issue.customFields."usersList"
5 ...
```

Receiving side

Incoming sync

```
1 #
2 # The replica.customFields."usersList".value is an object of type option.
3 # The option contains a value, which is the string of the option.
4 # issue.customFields."Escalated to".value is a user picker type custom field, which includes string value
5 #
6 issue.customFields."Escalated to".value = nodeHelper.getUserByUsername(replica.customFields."usersList"? .value)
7
8 ...
```

Product

[About Us](#) 

ON THIS PAGE

[Release History](#) 

[Glossary](#) 

[Sending side](#) 

[API Reference](#) 

[Receiving side](#) 

[Security](#) 

[Pricing and Licensing](#) 

Resources

[Subscribe for a weekly Exalate hack](#) 

[Academy](#) 

[Blog](#) 

[YouTube Channel](#) 

[Ebooks](#) 

Still need help?

[Join our Community](#) 

[Visit our Service Desk](#) 

[Find a Partner](#) 