

How to configure triggers in Asana

Last Modified on 01/15/2026 5:17 pm EST

How to Configure Triggers in Asana

This article describes how to configure triggers in Asana to control which tasks and projects are synchronized.

Triggers in Asana: Triggers use field-based queries to filter tasks and projects. You can use project names, user emails, tags, and status types without needing Asana GIDs.

Task triggers

Filter tasks by project, assignee, tags, or completion status:

```
projects="Development"
tags="urgent"
completed=false
assignee="john.doe@example.com" AND completed=false
projects="Support" AND tags="external"
```

Project triggers

Filter projects by status, owner, or state:

```
status="at_risk"
```

Status Types: Supported project status types include `at_risk`, `on_track`, `off_track`, `on_hold`, `complete`, `achieved`, `partial`, `missed`, and `dropped`.

Syntax rules

- String values use quotes: `status="at_risk"`
- Boolean values no quotes: `archived=false`
- Use AND for combinations: `status="at_risk" AND owner="me"`

More information

- [How to Sync Tasks in Asana](#)
- [How to Sync Projects in Asana](#)
- [Get Started with Connection in Basic Mode for Asana](#)

Have more questions? [Ask the community](#)

[Security](#)

[Pricing and Licensing](#) 

Resources

[Subscribe for a weekly Exalate hack](#) 

[Academy](#) 

[Blog](#) 

[YouTube Channel](#) 

[Ebooks](#) 

Still need help?

[Join our Community](#) 

[Visit our Service Desk](#) 

[Find a Partner](#) 