

How to Sync Customer Request Type Field in Jira Service Management

Last Modified on 02/11/2026 9:29 am EST

Customer Request Type is a Jira Service management field. Jira Service management project handles the request type based on the mapping of the request type to the issue type.

The Customer Request type depends on:

- The service management project
- The issue type
- The request type

Each request type is based on an issue type. A single issue type can be the basis for many different request types.

Source Side

Outgoing sync

Add the following script to send the data of the request type issue field:

```
replica.customFields."Customer Request Type" = issue.customFields."Customer Request Type"
```

Destination Side

Each request type in Jira Service management is based on an issue type. To set a request type for a local issue Exalate needs to know the name of the issue type the request is based on. Make sure that the `issue.typeName` is set to the proper issue type and the request type is valid for that issue type.

Incoming sync

You can set a request type manually in the incoming sync. Use the example below to set the request type to IT Help for the received issues from the remote side.

```
issue.customFields."Customer Request Type".value = "IT Help"
```

Depending on the Jira Service management version the name of the customer request type might differ. Please make sure that you have the correct custom field name in the script.

[About Us](#) 

[Release History](#) 

ON THIS PAGE

[Glossary](#) 

[API Reference](#) 

[Source Site](#) 

[Security](#) 

[Destination Side](#) 

[Pricing and Licensing](#) 

Resources

[Subscribe for a weekly Exalate hack](#) 

[Academy](#) 

[Blog](#) 

[YouTube Channel](#) 

[Ebooks](#) 

Still need help?

[Join our Community](#) 

[Visit our Service Desk](#) 

[Find a Partner](#) 